BIOVIRIDIAN

Excellence in HPLC-MS Analysis

CERTIFICATE OF ANALYSIS

Web Verification Code: **COA8993**

SAMPLE RECEIVED
September 4, 2026

COA ISSUED
September 9, 2026

SAMPLE INFORMATION

Vendor
Optimal Bio Labs LLC

Sample Name
NAD+ 1000mg

Sample Type
White lyophilized powder

Lot Number
ND10-26242

MW (g/mol)
663.2

ANALYTICAL METHODS


Identity: Confirmed via LC–MS/MS
Purity: RP-HPLC (214 nm)
Content: HPLC quantitation


TEST RESULTS

Specification	Result	Method	Status
Identity: NAD+	NAD+	LC-MS/MS	✓ Conforms
Content	1003.91 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.72%	RP-HPLC (214 nm)	✓ Conforms

HPLC Chromatogram · Retention Time 1.982 **min**







Certification: This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Verify authenticity at **bioviridians.com/coa-search.html** using the Web Verification Code above.

info@bioviridians.com

Shane Straight

Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.